


RULES OF PACKING THE SHIPMENTS

1. The packing of the shipment is provided by the Sender depends of the form and characteristics of the items taking into consideration the delivery time and other conditions of delivery.
2. Packaging should ensure integrity of sending attachments during the transportation and during the processing using technical equipments. Packaging of the shipment should prevent harm to life and health of people or animals, contamination or spoilage (damage) of other shipments and equipment.
3. Marking should be fixed on the top of the box (according to the arrow "up").
4. The quality packaging means packaging (box, bag, pallets, wood prevention, etc.) that follow the next requirements:

Features of quality packaging	Example of quality packaging	Example of not quality packaging
Qualitative and thick cardboard		
No bulbous parts		
The box is not repacked		
The package does not have deformations or slits and without free entering inside.		

<p>If shake the box, it would not the sound of broken glass, connection of one fragile part with another, free moving of fragile parts. In the not full filled boxes must be used foam plastic seal.</p>		
<p>Small fragile parts must be additionally packed with bubble wrap.</p>		
<p>No wet spots.</p>		
<p>Sack (except sacks for the garbage). The sack must be made of thick material.</p>		
<p>No wracks and features of restoration the surface.</p>		
<p>The shipment on the pallet is fixed vertically straight without bulbous parts.</p>		
<p>The pallet is covered minimum 3 sliies of stretch wrap.</p>		

<p>All seats on pallet are in the quality package (there are no tears, dents and deformations).</p>		
<p>The bulk shipment is packed in plastic sack.</p>		
<p>Household appliances are packed in transport package.</p>		
<p>Digital technique is packed in corrugated card.</p>		
<p>Commodity package is packed in the box.</p>		

It's forbidden to bound or to fix (parcels) together so that they can disconnect during transport. It is permitted to combine only till three parcels into one, if they are bounded minimum five slices of the stretch or tape and it forms a single integrated package for shipment.



Overall cargo with a weight greater than 30 kg are placed on a pallet made of chipboard (with a special marking IPPC 15) or packed in a plywood box, plastic boxes. The cargo must be fixed inside the struts-catches, the parcel should not move. Attachments are packed in bubble wrap, cover foam filler inside should not be empty seats. It is forbidden to use solid wood packaging.

